


Sign Chart:

Idaho Supplement to the Standard Highway Signs and Marking Book

December 2016



Idaho Transportation Department

SIGN CHART:

IDAHO SUPPLEMENT TO THE STANDARD HIGHWAY SIGNS AND MARKINGS BOOK

TABLE OF CONTENTS

REGULATORY SIGNS

R2-201P	Truck Definition
R2-501P	Ordinance Number Plaque
R2-1001	Increased Fines for Work Zone Speed Violations
R3-6 (Mod.)	Optional Movement Lane Control
R4-101	Yield Center Lane to Opposing Traffic
R5-201	Compression Brakes Prohibited
R8 Series	No Parking, No Fishing, No Loitering
R13-101	Weigh Station
R16-101	Slow Down and Move Over
R16-201	Chains Required

WARNING SIGNS AND OBJECT MARKERS

W8-701	Sand on Road
W8-702	Mud on Road
W8-703	Avoid Windshield Damage
W8-801	Frost Heaves
W8-1301	Chains Recommended
W8-1401	Watch for Rock
W8-1402	Avalanche Area
W8-1403	Slide Area
W8-1404	Slide Ahead
W8-2101	Severe Storm Area
W8-2201	Low Visibility Area
W16-901P	Open Range Plaque
G20-401	Wait for Pilot Car
OM5	IdaShield
OM6	Truck Escape Ramp Object Marker


GUIDE SIGNS

M1-5	State Route
D5-2001	Byway Information Ahead
D5-2101	Byway Information
D5-2201	Historic Site Ahead
D5-2301	Historic Site
D5-2401	Geologic Site Ahead
D5-2501	Geologic Site
D6-401	Scenic Byway


D12-401	Report Drunk Driving
D12-402	Report Wildfires
D14-101	Adopt A Highway
D17-701	Slow Vehicle Turn-Out
D20-1	Interstate Trip Permit Location Ahead
D20-2	Interstate Trip Permits
D20-3	Trip Permits
E1-5P	Exit Number (Plaque)
E1-5bP	Left Exit Number (Plaque)
I-2	Idaho State Line
I-201	Welcome to Idaho
Example I-2	Jurisdictional Boundary
Example I-3	Geographical Feature
Example I-3	Miscellaneous Information
Auto Tour	Example Auto Tour Plaque

APPENDIX

A-1	Idaho Symbol
A-2	Idaho Work Mark
A-3	Standard Arrow Details




R2-201P
TRUCK DEFINITION



R2-501P
ORDINANCE NUMBER PLAQUE

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE (RETROREFLECTIVE)




R2-1001

INCREASED FINES FOR WORK ZONE SPEED VIOLATIONS


A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
48	24	0.75	1.25	4	4 C	2	19.78	3.9	11.92	7.92	7.54	4.3	11.16	13.64	3.6	21.28	3
72	36	0.75	1.25	6	6 C	3	29.67	5.8	17.88	11.88	11.31	6.4	16.74	20.46	5.5	21.28	3

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE (RETROREFLECTIVE)



R3-6 (Modified)
OPTIONAL MOVEMENT LANE CONTROL

* See R3-18 of the SHSM
for Sign Border and
Arrow Dimensions



R4-101
YIELD CENTER LANE TO OPPOSING TRAFFIC

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE (RETROREFLECTIVE)



R5-201
COMPRESSION BRAKES PROHIBITED

* Decrease character spacing 10%

A	B	C	D	E	F	G	H	I	J	K	L	M	N
36	0.625	0.875	6	4.5 B*	3.25	4.5 B	3.375	2.5 B	4.125	13.39	7.40	11.54	2.25
48	0.75	1.25	8	6 B*	4.5	6 B	4.5	3 B	5.5	17.85	9.87	15.39	3
60	0.75	1.25	10	7.5 B*	5.625	7.5 B	5.625	4 B	6.875	22.31	12.34	19.24	3

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE (RETROREFLECTIVE)



NO PARKING CHAIN-UP AREA



SNOWPLOW TURNAROUND



RUNAWAY VEHICLES ONLY

R8 Series Signs

* Reduce spacing 50% for
24", 36" & 48" sizes

A	B	C	D	E	F	G	H	J	K	L	M	N	O	P	Q	R	S
18	24	0.375	0.625	3.5	3 D	2.5	3 C	2 D	2	2.563	6.938	6.06	1.56	1.3	3.2	3.4	1.5
24	30	0.375	0.625	3.625	5 D	2.25	5 C	3 D	2.25	4.313	10.125	9.09	2.34	1.95	4.8	5.1	1.5
36	48	0.625	0.875	6	7 D	5	7 C	4 D	4	6.063	14.25	12.12	3.12	2.6	6.4	6.8	2.25
48	60	0.75	1.25	7.5	9 D	6	9 C	5 D	5	7.75	18.313	15.15	3.9	3.25	8	8.5	3

T	U	V	W	X	Y	Z
5.96	6.86	4.25	7.11	1.2	1.33	4.56
8.94	10.29	6.37	10.67	1.8	2	6.84
11.92	13.72	8.5	14.23	2.4	2.67	9.12
14.9	17.15	10.62	17.78	3	3.33	11.4

COLORS: LEGEND, BORDER - RED (RETROREFLECTIVE)
BACKGROUND - WHITE (RETROREFLECTIVE)



NO FISHING FROM BRIDGE




NO LOITERING ON BRIDGE

R8 Series Signs

A	B	C	D	E	F	G	H	J	K	L	M	N	O	P	Q	R
18	24	0.375	0.625	3.5	3 D	2.5	3 C	2 D	2	2.563	6.35	3.31	4.5	1.5	6.34	1.61
24	30	0.375	0.625	3.625	5 D	2.25	5 C	3 D	2.25	4.313	9.53	4.96	6.75	1.5	9.51	2.42
36	48	0.625	0.875	6	7 D	5	7 C	4 D	4	6.063	12.71	6.61	9	2.25	12.67	3.23
48	60	0.75	1.25	7.5	9 D	6	9 C	5 D	5	7.75	15.88	8.27	11.25	3	15.85	4.03

COLORS: LEGEND, BORDER - RED (RETROREFLECTIVE)
BACKGROUND - WHITE (RETROREFLECTIVE)




R13-101
WEIGH STATION

A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
108	60	1	7.5	7.5 C	5	31.05	7.5	8.96	11.36	28.65	15.9	27.45	15.22	4.4	31.27	36.22	5.4
216	120	2	15	15 C	10	62.1	15	17.93	22.72	57.3	31.8	54.9	30.45	8.7	62.55	72.45	10.72

S	T	U	V	W	X	Y
14.96	26.62	20.77	3.2	4.3	19.72	3
29.92	53.25	41.55	6.45	8.55	39.45	6

COLORS: LEGEND, BORDER - WHITE (RETROREFLECTIVE)
BACKGROUND - BLACK




R16-101
SLOW DOWN AND MOVE OVER

A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
84	48	0.75	1.25	4.37	6 D	2.51	2.25	5 D	2.5	4.12	21.66	0.78	6	14.88	16.65	5	6.78

S	T	U	V	W	X	Y	Z	AA	BB	CC	DD	EE
10.42	13	16.85	5.53	10.57	11.80	27.85	3.6	18.45	36.9	1.55	30.35	3

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE, YELLOW (RETROREFLECTIVE)




R16-201
CHAINS REQUIRED

A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
72	36	0.75	1.25	3.1	6 D	1.5	2.5	4.5 D	2.25	2.9	21.66	0.78	6	14.88	26.29	4.5	1.95
96	48	1	1.67	4.13	8 D	2	3.33	6 D	3	3.87	28.88	1.04	8	19.84	35.05	6	2.6

S	T	U	V	W	X	Y	Z	AA	AB	AC
32.74	10.75	10.15	1.15	2.92	21.33	32.82	3.35	3	26.47	3
43.65	14.33	15.53	1.53	3.89	28.44	43.76	4.47	4	35.29	4

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE, YELLOW (RETROREFLECTIVE)



W8-701
SAND ON ROAD



W8-702
MUD ON ROAD


A	B	C	D	E	F	G	H	J	K
30	0.5	0.75	5 D	2.5	8.4	4	8.38	6.55	1.875
36	0.625	0.875	6 D	3	10.1	4.83	10.05	7.86	2.25
48	0.75	1.25	8 D	4	13.44	6.44	13.4	10.48	3

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - YELLOW (RETROREFLECTIVE)




A	B	C	D	E	F	G	H	J	K
30	0.5	0.75	5 C	2.5	1.15	7.88	15.04	10.19	1.875
36	0.625	0.875	6 C	3	1.38	9.45	18.05	12.23	2.25
48	0.75	1.25	8 C	4	1.83	12.6	24.07	16.3	3

COLORS: LEGEND, BORDER - BLACK
 BACKGROUND - ORANGE (RETROREFLECTIVE)



W8-801
FROST HEAVES




W8-1301
CHAINS RECOMMENDED

* Decrease character spacing 30%

A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
30	0.5	0.75	5 D	2.5	1.25	9.6	12.1	-	-	-	-	-	-	-	-	-	1.875
36	0.625	0.875	6 D	3	1.5	11.52	14.52	5 C	3	1	9.73	18.93	7.3	4.15	2.25	2.25	2.25
48	0.75	1.25	8 D	4	2	15.09	19.36	7 C	3	0	13.62	26.51	10.22	5.81	3	3	3

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - YELLOW (RETROREFLECTIVE)




W8-1401
WATCH FOR ROCK




W8-1402
AVALANCHE AREA

A	B	C	D	E	F	G	H	J	K	L
30	0.5	0.75	5 C	2.5	8.67	4.95	7	15.79	6.87	1.875
36	0.625	0.875	6 C	3	10.41	5.94	8.4	18.95	8.25	2.25
48	0.75	1.25	8 C	4	13.88	7.92	11.2	25.26	11	3

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - YELLOW (RETROREFLECTIVE)




W8-1403
SLIDE AREA




W8-1404
SLIDE AHEAD

A	B	C	D	E	F	G	H	J	K
30	0.5	0.75	5 D	2.5	1.25	8.85	8.5	10.75	1.875
36	0.625	0.875	6 D	3	1.5	10.62	10.2	12.9	2.25
48	0.75	1.25	8 D	4	2	14.16	13.6	17.2	3

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - YELLOW (RETROREFLECTIVE)




W8-2101
SEVERE STORM AREA



W8-2201
LOW VISIBILITY AREA


A	B	C	D	E	F	G	H	J	K	L
30	0.5	0.75	5 C	2.5	9.47	8.65	6.87	5.25	13.47	1.875
36	0.625	0.875	6 C	3	11.36	10.37	2.25	6.3	16.16	2.25
48	0.75	1.25	8 C	4	15.14	13.83	11	8.4	21.55	3

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - YELLOW (RETROREFLECTIVE)



W16-901P
OPEN RANGE PLAQUE


COLORS: LEGEND, BORDER - BLACK
BACKGROUND - YELLOW (RETROREFLECTIVE)




G20-401
WAIT FOR PILOT CAR

A	B	C	D	E	F	G	H	J	K	L	M
30	0.5	0.75	5 C	2.5	5.98	9.9	3.75	0.75	14.4	5	1.875
36	0.625	0.875	6 C	3	7.17	11.88	4.5	0.9	17.28	6	2.25
48	0.75	1.25	8 C	4	9.56	15.84	6	1.2	23	7	3

COLORS: LEGEND, BORDER - BLACK
 BACKGROUND - ORANGE (RETROREFLECTIVE)



OM5 FRONT
IDASHIELD



OM5 BACK
IDASHIELD

COLORS: LEGEND, BORDER - RED, SILVER (RETROREFLECTIVE)
BACKGROUND - WHITE (RETROREFLECTIVE)



OM6-L*



OM6-R*

* See OM-3 for Dimensions


COLORS: LEGEND, BORDER - RED (RETROREFLECTIVE)
BACKGROUND - WHITE (RETROREFLECTIVE)

Technical diagram of a rectangular sign with dimensions and content. The sign is divided into two main sections: a black silhouette of a person on the left and the text '200' on the right. Dimensions are labeled as follows:

- A**: Total width of the sign.
- B**: Total height of the sign.
- C**: Width of the black silhouette section.
- D**: Height of the black silhouette section.
- E**: Height of the white section.
- F**: Width of the white section.
- G**: Width of the black silhouette section.
- H**: Width of the white section.
- I**: Thickness of the sign.
- VAR**: Variable width of the white section.
- D***: Total height of the sign, including the thickness **I**.


* Decrease character spacing
 **See page A-1 for the Idaho shape.

COLORS: LEGEND - BLACK
BACKGROUND - WHITE (RETROREFLECTIVE)



D1-101
BYPASSED COMMUNITY


COLORS: LEGEND, BORDER - WHITE (RETROREFLECTIVE)
BACKGROUND - GREEN (RETROREFLECTIVE)



D5-2001
BYWAY INFORMATION AHEAD

A	B	C	D	E	F	G	H	J	K
72	42	1.25	7	6 D	5	13.21	25.36	12.91	2.25
96	54	1.75	8.5	8 D	6.5	17.61	33.82	17.21	3

COLORS: LEGEND, BORDER - WHITE (RETROREFLECTIVE)
 BACKGROUND - BROWN (RETROREFLECTIVE)




D5-2101
BYWAY INFORMATION

A	B	C	D	E	F	G	H	J	K	L
72	42	1.25	7	6 D	5	8	13.21	25.36	12	2.25
96	54	1.75	8.5	8 D	6.5	10	17.61	33.82	15	3

COLORS:	LEGEND, BORDER	- WHITE (RETROREFLECTIVE)
	BACKGROUND	- BROWN (RETROREFLECTIVE)




D5-2201
HISTORIC SITE AHEAD




D5-2301
HISTORIC SITE

COLORS: LEGEND, BORDER - WHITE (RETROREFLECTIVE)
 BACKGROUND - BROWN (RETROREFLECTIVE)




D5-2401
GEOLOGIC SITE AHEAD



D5-2501
GEOLOGIC SITE

COLORS: LEGEND, BORDER
BACKGROUND

- WHITE (RETROREFLECTIVE)
- BROWN (RETROREFLECTIVE)



D6-401
SCENIC BYWAY

COLORS: LEGEND - VARIES (SIGN LEGEND IS DIGITALLY PRINTED)
 BACKGROUND - WHITE (RETROREFLECTIVE)



D12-401
REPORT DRUNK DRIVING

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q	R
72	36	1	4.5	6 E	6 D	17	25.74	4.23	29.7	18.684	3.75	9.65	5.305	23.03	3
96	48	1	6	8 E	8 D	22.6	34.32	5.64	39.6	24.912	5	12.86	7.074	30.7	3


COLORS: LEGEND, BORDER - WHITE (RETROREFLECTIVE)
BACKGROUND - BLUE (RETROREFLECTIVE)



D12-402
REPORT WILDFIRES


A	B	C	D	E	F	G	H	J	K
54	36	1	4.5	6 D	4.5	14.3	19.6	11	3
72	48	1	6	8 D	6	19.1	26.1	14.7	3

COLORS: LEGEND, BORDER - WHITE (RETROREFLECTIVE)
BACKGROUND - BLUE (RETROREFLECTIVE)



D14-101
ADOPT A HIGHWAY


COLORS: LEGEND - VARIES (SIGN LEGEND IS DIGITALLY PRINTED)
 BACKGROUND - WHITE (RETROREFLECTIVE)



D17-701
SLOW VEHICLE TURN-OUT


A	B	C	D	E	F	G	H	J	K	L	M	N	O	P	Q	R	S	T
72	42	1.25	6.5	6 D	4.5	8	20	6	2.9	28.86	19.32	2	1.05	3	3.05	14.28	12	2.25
96	54	1.75	8	8 D	6	10	27.64	8	4.13	39.78	26.73	2.81	1.54	3.75	4.35	19.76	15	3

COLORS: LEGEND, BORDER - WHITE (RETROREFLECTIVE)
BACKGROUND - GREEN (RETROREFLECTIVE)




D20-1

INTERSTATE TRIP PERMIT LOCATION AHEAD



D20-2




INTERSTATE TRIP PERMITS



D20-3

TRIP PERMITS




COLORS: LEGEND, BORDER - WHITE (RETROREFLECTIVE)
BACKGROUND - GREEN (RETROREFLECTIVE)



E1-5P
EXIT NUMBER (PLAQUE)

* Increase character spacing 25%
** Decrease character spacing 20%


COLORS: LEGEND, BORDER - WHITE (RETROREFLECTIVE)
BACKGROUND - GREEN (RETROREFLECTIVE)



E1-5bP
LEFT EXIT NUMBER (PLAQUE)

* Increase character spacing 25%
** Decrease character spacing 20%

COLORS: LEGEND, BORDER - WHITE (RETROREFLECTIVE) , BLACK
BACKGROUND - GREEN, YELLOW (RETROREFLECTIVE)



I-2
IDAHO STATE LINE

* See page A-2 for the Idaho font.
Font height measured on the letter "H"

COLORS: LEGEND, BORDER - WHITE (RETROREFLECTIVE)
BACKGROUND - GREEN (RETROREFLECTIVE)




I-201
WELCOME TO IDAHO

* See page A-2 for the Idaho font.
Font height measured on the letter "H"

A	B	C	D	E	F	G	H	J	K	L	M	N	O
96	48	1.5	6	8 EM	6.5	17.5	10	36.24	16.8	8	11.44	80.5	3
192	96	3	12	16 EM	13	35	20	72.48	33.6	16	22.88	161	6

COLORS: LEGEND, BORDER - WHITE (RETROREFLECTIVE)
BACKGROUND - BLUE (RETROREFLECTIVE)



EXAMPLE I-2
JURISDICTIONAL BOUNDARY




EXAMPLE I-2
JURISDICTIONAL BOUNDARY

COLORS: LEGEND, BORDER - WHITE (RETROREFLECTIVE)
BACKGROUND - GREEN (RETROREFLECTIVE)




EXAMPLE I-3
GEOGRAPHICAL FEATURE




EXAMPLE I-3
MISCELLANEOUS INFORMATION

COLORS: LEGEND, BORDER - WHITE (RETROREFLECTIVE)
BACKGROUND - GREEN (RETROREFLECTIVE)



EXAMPLE I-3
MISCELLANEOUS INFORMATION


COLORS: LEGEND, BORDER - WHITE (RETROREFLECTIVE)
BACKGROUND - GREEN (RETROREFLECTIVE)



EXAMPLE AUTO TOUR PLAQUE


A	B	C	D	E	F	G
24	18	0.5	3.5	4 C	3	1.5
36	24	0.75	5	5	4	2.25

COLORS: LEGEND, BORDER - WHITE (RETROREFLECTIVE)
BACKGROUND - BROWN (RETROREFLECTIVE)



IDAHO

STANDARD ARROW DETAILS



WIDTH *	A	B	C	D	E
5.375	2	2.313	4.313	0.313	0.375
6.125	2.25	2.625	4.5	0.375	0.438
6.75	2.5	2.875	5.063	0.375	0.5
7	2.625	3	5.25	0.375	0.5
7.125	2.75	3	5.563	0.438	0.563
8.125	3	3.5	6.125	0.438	0.563
8.5	3.125	3.625	6.375	0.5	0.625
8.75	3.25	3.625	6.625	0.5	0.625
9	3.313	3.75	6.688	0.5	0.688
9.375	3.5	3.813	7.125	0.563	0.688
10.125	3.75	4	7.625	0.563	0.75
10.875	4	4.313	8.125	0.625	0.813
11.125	4.063	4.625	8.25	0.625	0.813
11.375	4.25	4.75	8.625	0.625	0.813
11.75	4.375	4.875	8.875	0.688	0.875
12.125	4.5	5	9.125	0.688	0.875

WIDTH *	A	B	C	D	E
12.875	4.75	5.188	9.625	0.75	1
13.25	4.875	5.438	9.875	0.75	1
13.5	5	5.625	10.125	0.75	1
14.125	5.25	5.75	10.625	0.813	1.063
15	5.5	6	11.125	0.875	1.125
15.5	5.75	6.375	11.688	0.875	1.125
16.125	6	6.625	12.188	0.938	1.188
18.25	6.5	6.875	13.188	1	1.625
18.75	7	7.5	14.188	1.063	1.375
20.25	7.5	8.625	15.188	1.125	1.5
21.625	8	9.188	16.25	1.25	1.625

* Use the arrow width dimension that is closest to the one shown on the sign detail